

GO! Peach of a Machine Cover and Caddy

Finished Size: Large machine and caddy



Designed for AccuQuilt by Terri Vanden Bosch of Lizard Creek Quilting



Dies Needed:

- GO! Sewing Machine (55634)

June Tailor Products Needed:

Sewing Machine Cover & Caddy Quilt-As-You-Go Kit (JT-1484)
Starch Savvy (JT-440)
Magic Seam Wand (JT-448)
Basting Spray (JT-445) or Temporary Fabric Glue Stick (JT-650)

Fabric Requirements:

Fabric Color	Total Yardage
Peach and Greens	Per JT-1484 requirements
White, Black, Peach and Green	Scraps at least 10" x 10"
Fusible	12" x 18"

Cutting Directions:

Fabric Color	Die	Number of Shapes to Cut
Peach and Greens	Rotary Cut	Follow directions in JT-1484—June Tailor Quilt as You Go Sewing Machine Cover & Caddy
White, Black, Peach and Green	GO! Sewing Machine (55634)	Cut 1 sewing machine, sewing tray, hand wheel, thread and small circle. Cut 2 spool pins and large circle from colors as desired.

Sewing Directions:

Press all seams open and use 1/4" seams, unless otherwise indicated.

Sewing Machine Cover & Caddy

NOTE: Directions for cutting and sewing cover and caddy will be in the JT-1484 package.

1. Follow piecing instructions in package until machine cover construction and finishing.
2. Decide which end of cover will be the “front”. Arrange the sewing machine appliqué shapes approximately 3-1/2” above cut edge on the horizontal fabrics between the vertical strips 18 and 19.
3. Secure shapes with stitch of choice.
4. Finish cover and caddy per JT-1484 package instructions.